

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO:	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/642,590	08/19/2003	Hiroyuki Kinugawa	Q76939	2939	
23373	7590 08/22/2005		EXAM	EXAMINER	
SUGHRUE MION, PLLC			RIDDLE,	RIDDLE, KYLE M	
2100 PENNSY SUITE 800	LVANIA AVENUE, N.W.		ART UNIT	PAPER NUMBER	
WASHINGTO	N, DC 20037	·	3748	-	

DATE MAILED: 08/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

			_X <i>A</i>		
	Application No.	Applicant(s)	-		
Office Action Summan	10/642,590	KINUGAWA, HIROYUI	KI		
Office Action Summary	Examiner	Art Unit			
	Kyle M. Riddle	3748			
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the o	correspondence addres	S		
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.  after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a rep  - If NO period for reply is specified above, the maximum statutory period  - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailir  earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be tingly within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this commun D (35 U.S.C. § 133).	nication.		
Status			$\sim$		
1)⊠ Responsive to communication(s) filed on 11 A	August 2005				
	s action is non-final.				
3) Since this application is in condition for allowa	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims					
4) ☑ Claim(s) 1 and 3-10 is/are pending in the appleada of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed.  6) ☑ Claim(s) 1.3 and 5-10 is/are rejected.  7) ☑ Claim(s) 4 is/are objected to.  8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.				
Application Papers					
9)☐ The specification is objected to by the Examine 10)☒ The drawing(s) filed on 15 July 2004 is/are: a)  Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11)☐ The oath or declaration is objected to by the E	accepted or b) objected to lead accepted or b) objected to lead and objected to lead and objected to lead and objected to lead and objected if the drawing(s) is objection is required if the drawing(s) is objected to lead accepted to lead and objected to lead accepted to lead a	e 37 CFR 1.85(a). jected to. See 37 CFR 1.	• •		
Priority under 35 U.S.C. § 119					
12) ☑ Acknowledgment is made of a claim for foreign a) ☑ All b) ☐ Some * c) ☐ None of:  1. ☑ Certified copies of the priority documen 2. ☐ Certified copies of the priority documen 3. ☐ Copies of the certified copies of the priority documen application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in Applicati prity documents have been receive uu (PCT Rule 17.2(a)).	ion No ed in this National Stag	ge		
Attachment(s)	» <b>П</b>				
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail Di 5)  Notice of Informal F 6)  Other:		)		

#### **DETAILED ACTION**

#### Response to Amendment

### Claim Objections

- 1. Claim 6 recites the limitation "the oil passage" in page 3, claim 6, lines 2 and 3 of the claim. There is insufficient antecedent basis for this limitation in the claim.
- 2. Claim 7 recites the limitation "the oil passage" in page 3, claim 7, line 2 of the claim.

  There is insufficient antecedent basis for this limitation in the claim.

It appears to the examiner that the oil passage in question is currently deleted from independent claim 1, and as such lacks antecedent basis.

## Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claim 1, 3, 5-10 are rejected under 35 U.S.C. 103(a) as being obvious over Noguchi et al. (U.S. Patent 5,826,552) in view of Fujiwaki (U.S. Patent 5,901,674) or Mikame et al. (U.S. Patent 6,386,164).

Re claims 1, 3, 5, 7, 9, and 10, Noguchi et al. disclose a variable valve timing device comprising:

- an outer rotor 18 rotating synchronously with a crank shaft (column 4, lines 25-30);
- an inner rotor 22 fixedly mounted on one end portion of the cam shaft 12 for relative movement or rotation between the cam shaft 12 and the outer rotor 18 (column 4, lines 33-38);

Art Unit: 3748

- a locking pin or member valve 44 slidably fitted in retracting bore 40 of outer rotor 18 and, when aligned in a predetermined position with received bore 48 of inner rotor 22, locks the relative rotation of the inner and outer rotors 22, 18 between a most advanced position and most lagged position (column 5, lines 25-34 and Figures 2-4);

- a piston 60 as a closing member composed of a thinner contact portion and a thicker portion and slidably fitted axially in receiving bore 48 to eject or exclude the locking valve 44 against the urging force of spring 46 under the pressure of oil (hydraulically slidable) supplied to the receiving bore 48 (column 5, lines 37-44 and Figures 2-4);

- an engaging hole formed within receiving bore 48 between locking valve 44 and piston 60 (Figure 4B), the closure of the engaging hole creating contact between locking valve 44 and piston 60 resulting in allowed relative rotation of the inner rotor 22 with respect to the outer rotor 18 (column 6, lines 50-56 and Figures 3 and 4D).

Re claim 6, Noguchi et al. disclose a separate passage 50 supplying hydraulic pressure to the closing member or piston 60 which is different than delay and advance angle hydraulic passages 54, 56 for relative rotation (column 5, lines 30-39, column 6, lines 27-29, lines 44-49, and Figures 2 and 3).

Re claim 8, Noguchi et al. disclose some oil entering between the piston 60 and the locking valve 44 via passage 62 from intermediate passage 54a, the resulting oil pressure ejecting the locking valve 44 allowing relative rotation of the inner rotor 22 and the outer rotor 18 during low hydraulic pressure (column 6, lines 32-41 and Figure 4C).

Art Unit: 3748

Noguchi et al., however, fail to disclose a separate oil passage controlled separately from the oil passages for the advance and retard chambers, a control valve controlling the closing member, or the closing member specifically not extending from the engaging hole.

Fujiwaki teaches a variable valve timing device where the oil supply to and the oil drain from the pilot passage 13 for locking pin 60 are established by a second change-over valve 110 independent of the oil supply from the oil pump 120 to one of the advancing angle passage 11 and the delaying angle passage 12, thus providing stable oil pressure supply during initiation of or termination from the internal combustion engine (column 5, lines 45-63, Figures 1-6).

Noguchi et al. teach a closing member or piston 60 with a thick and thin portion (see Figures) for ejecting the locking valve 44 from the receiving bore (column 5, lines 37-44 and Figures 2-4). The figures show multiple positions of the piston 60 and locking valve 44, the most extended position for the piston 60 being flush with the two rotating members with the locking valve 44 preventing the piston 60 from standing out of the engaging hole or receiving bore 48. It would be an obvious choice to one of ordinary skill in the art to prevent the piston 60 from extending beyond the receiving bore 48 to prevent unnecessary wear, noise, and disruptive functioning of the valve mechanism.

Mikame et al. teach a variable valve timing (VVT) control apparatus with a VVT 12b composed of a hydraulic passage L1 for activating the lock pin and a hydraulic passage L2 for releasing the lock pin, the passages L1, L2 controlled separately from the advancement hydraulic passage P1 and the retardation hydraulic passage P2 by an oil switching valve (OSV) 40A based on a command from the ECU 65 (column 15, lines 11-30, Figures 9 and 10).

Application/Control Number: 10/642,590 Page 5

Art Unit: 3748

It would have been obvious to one having ordinary skill in the art at the time of the invention was made, to have utilized the teaching by Fujiwaki or Mikame et al. in the variable valve timing device of Noguchi et al., since the use thereof would have provided a separate hydraulic pressure means for controlling the locking device and therefore be free of the pressure fluctuations that may occur during advancing and retarding operations.

#### Allowable Subject Matter

5. Claim 4 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### Response to Arguments

- 6. Applicant's arguments filed 11 August 2005 have been fully considered but they are not persuasive.
- 7. On page 6 of the remarks, applicant suggests that the newly amended claims should be reconsidered and allowed but provided no specific arguments addressing the amended claims as to why they would be patentable over the prior art of record. Accordingly, the rejections given above cite the limitations and reasons why the specific claims are not allowable. Particular attention was given to the amended portions of independent claims 1 and 10 regarding the thin and thick portions of a closing member that does not stand out of the engaging hole. This is an obvious characteristic necessary for the piston 60 to function without impairing the operability of the valve mechanism disclosed by Noguchi et al., the details of which are indicated clearly above.

Application/Control Number: 10/642,590

Art Unit: 3748

Communication

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kyle M. Riddle whose telephone number is (571) 272-4864. The examiner can normally be reached on M-F (07:30-5:00) Second Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Denion can be reached on (571) 272-4859. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kyle M. Riddle

(cloud)

Examiner

Art Unit 3748

kmr

THOMAS DENION
SUPERVISORY PATENT EXAMINER

Page 6

TECHNOLOGY CENTER 3700